AUTHOR INDEX FOR VOLUME 60, 1985

A

Abraham, H. C., 666
Aherne, F. X., 1518
Akers, R. M., 271
Allen, R. E., 644, 1571
Allrich, R. D., 285
Ames, N. K., 519
Ammerman, C. B., 839, 861
Apgar, J., 1530
Arentson, B. E., 474
Arnold, R. N., 1188
Asche, G. L., 1412
Ashmore, C. R., 1588

B

Bailey, A. J., 1580
Bailey, C. M., 675
Baker, D. H., 440, 462
Bame, J. H., 1631
Barke, R. J., 691
Barnes, M. A., 271
Bass, J. J., 977
Bauman, D. E., 583
Becker, B. A., 264
Becker, H. N., 839
Beitz, D. C., 652, 970
Bergen, W. G., 781
Berger, L. L., 847, 1247, 1330
Berger, P. J., 1396
Berger, T., 1295
Berry, B. W., 434
Bertrand, J. K., 1396
Bitman, J., 1454
Black, J. R., 861, 1012
Blair, R., 1508
Bohman, V. R., 791
Boyd, R. D., 659, 1280
Bradford, G. E., 953, 1463
Breeze, R. G., 226, 232
Brief, S., 998
Brink, D. R., 1330
Britton, R. A., 560, 1324
Brown, J. L., 532
Brown, L. E., 1318
Brownson, R. M., 342
Bryant, K. L., 136, 145, 154
Buchanan, D. S., 902, 1373, 1385
Buckley, D. J., 1359
Bush, M., 1610
Butler, G., 1403
Butler, W. R., 659
Byers, F. M., 578, 1479, 1485

C

Campion, D. R., 1562
Camous, S., 1308
Carlson, J. R., 226, 232
Carnevale, J., 883
Cartwright, T. C., 913
Cheeke, P. R., 1029
Chew, B. P., 998
Christenson, R. K., 264
Chung, C. S., 118
Cianzio, D. S., 970
Clanton, D. C., 1324
Clark, J. H., 1072
Clegg, E. D., 1295
Cole, N. A., 772
Coleman, S. W., 352, 1201
Collings, G. F., 1012
Combs, N. R., 709, 715
Cook, V. M., 258
Conley, H. H., 537
Copenhaver, J. S., 622
Corley, J. R., 190, 470, 1429, 1438
Corbin, J. E., 248
Cosgrove, S. B., 470
Costello, W. J., 212
Crenshaw, J. D., 1412
Crenshaw, M. A., 163, 725
Cromwell, G. L., 14
Cross, H. R., 666, 1228
Crouse, J. D., 1219, 1228
Crowell-Davis, S. L., 883
Cundiff, L. V., 58, 69, 1117, 1219
Curtis, S. E., 20
Czarnecki, G. L., 440

D

Danielson, D. M., 163, 725
Davis, D. L., 599, 755
Davis, M. E., 58, 69
Davis, S. L., 35
de Blas, J. C., 1021
Delfino, F. J., 832
Dellmeier, G. R., 1095, 1102
DeShazer, J. A., 264
Dhuyvetter, J. M., 935
Dickerson, G. E., 40, 1117
Diekman, M. A., 285
Dillard, E. U., 1133, 1142, 1156
Dinkel, C. A., 964
Dodson, M. V., 1571
Doolittle, D. P., 385, 395
Doren, P. E., 913
Duganzich, D. M., 977

E

Easter, R. A., 1288
Edmonds, M. S., 462
Ellis, W. C., 578
Elmore, R. G., 1055
Elzo, M. A., 942, 953
Engstrom, G. E., 1005
Eppard, P. J., 583
Erickson, J. P., 1012
Estell, R. E., II, 1061
Etherton, T. D., 118

F

Fahey, G. C., Jr., 847, 1235, 1247
Famula, T. R., 942
Fenton, J. P., 190
Ferguson, P. W., 375
Ferrell, C. L., 1219
Field, R. A., 977
Firkins, J. L., 847
Fischer, J. R., 1472
Fitzgerald, J. A., 749, 1530
Fogarty, N. M., 40
Fogwell, R. L., 519
Ford, J. J., 264
Forrest, D. W., 760
Forsell, J. H., 1597
Fortin, A., 1403
Fowke, P. J., 977
Fox, J. D., 1208
Fraga, M. J., 1021
Frahm, R. R., 935, 1373, 1385
Friend, T. H., 1095, 1102
Froehlich, D. A., 1403
Froseth, J. A., 691

G

Galyean, M. L., 570, 1061
Garcia, M. R., 832
Garner, D. L., 1303
Garrett, W. N., 766
Garst, J. E., 248
Garza, F., Jr., 741
Gaskins, C. T., 358
Gay, N., 1208
Gbur, E. E., 1095, 1102
Geerse, C., 731
Giesting, D. W., 1288
Gifford, S. R., 682
Gill, J. L., 867
Gledhill, B. L., 1303
Godfrey, R. W., 760
Godke, R. A., 608, 617
Goedeken, F. K., 1472
Goetsch, A. L., 803
Gonyou, H. W., 1110
Greene, L. W., 578, 1479, 1485
Gregory, K. E., 1117, 1165, 1175 1181
Grosbach, D. A., 487

H

Hackett, A. J., 334
Hahn, G. L., 264
Hale, O. M., 220, 503, 989. 1272

Hamernik, D. L., 358
Hansel, W., 528, 749
Harmon, D. L., 560
Harris, D. L., 385, 395
Harrison, P. C., 248
Hartman, A. D., 212
Harvey, W. R., 375
Hatfield, E. E., 1072
Hauser, E. R., 58, 69, 964
Hausman, G. J., 1539, 1553, 1562
Hawk, H. W., 537
Hawkins, D. R., 781
Hawrysh, Z. J., 682
Hellwig, R. E., 329
Henderson, C. R., 111
Henry, P. R., 839, 861
Hentges, E. J., 1188
Hinman, D. D., 1087
Hintz, R. L., 902
Hohenboken, W. D., 101
Holzgraefe, D. P., 1235, 1247
Honeyfield, D. C., 226, 232, 691
Hopkinson, S. F., 675
Horn, F. P., 1201
Horn, G. W., 814
Horst, R. L., 1005
Hossner, K. L., 35
Houpt, C. E., 369
Houpt, K. A., 369, 883
Hughes, T. L., 519
Humes, P. E., 608, 617
Hunt, C. W., 301
Huntington, G. B., 1491
Hutcheson, D. P., 772

I

Ireland, J. J., 519
Irgang, R., 1133, 1142, 1156
Irvin, K. M., 375
Iuliano, M. F., 258
Ivan, M., 1359
Izquierdo, O. A., 462

J

James, L. G., 307
Jensen, A. H., 1235, 1247
Jeremiah, L. E., 427
Jesse, B. W., 1597
Johnson, D. D., 666
Johnson, J. N., 1052
Johnson, L. A., 1303
Johnson, S. K., 1055
Johnson, W. L., 1318
Jones, L. S., 741
Jones, S.D.M., 427
Jungst, S. B., 603

K

Kadziolka, A., 1619
Kakonge, J., 1165, 1175, 1181
Kartchner, R. J., 342
Kawashima, R., 511
Kazmer, G. W., 271
Keith, N. K., 608, 617
Kennedy, G. A., 239
Kirk, D. J., 1479, 1485
Kirkpatrick, B. W., 964
Kirkwood, R. N., 1518
Kirton, A. H., 977
Knabe, D. A., 495
Knight, D. A., 1
Knight, J. W., 136, 145, 154
Koch, B. A., 239
Koch, M. E., 699
Koch, R. M., 1117
Koeln, L. L., 1472
Koper, S., 1619
Kornegay, E. T., 136, 145, 154
Kothmann, M. M., 913
Kozak, A. S., 1454
Kraeling, R. R., 1040, 1619
Kristensen, N. C., 248
Ku, P. K., 451, 709, 1012, 1447
Kuhlers, D. L., 603

L

Lake, S., 1303
Langlois, B. E., 1208
LaRue, D. C., 495
Ledoux, D. R., 551
Lee, Y. B., 1588
Lesperance, A. L., 791
Lewis, A. J., 171, 487, 1412
Libal, G. W., 212, 720
Lim, F., 1631
Little, J. A., 603
Littledike, E. T., 1005
Loerch, S. C., 6
Lowry, K. R., 1429, 1438
Lucas, J. R., 622
Luiten, L. S., 1571
Lunt, D. K., 1201

M

Macy, J. M., 544
Mah, J., 1052
Mahan, D. C., 179, 190, 470, 699, 1429, 1438
Males, J. R., 358, 822
Manak, R. C., 264
Marchello, M. J., 1052
Marlowe, T. J., 82, 890
Marples, H.J.S., 1165, 1175, 1181
Marshall, D. M., 935
Marti, O. G., 220
Martin, R. J., 1553
Martin, S. A., 544
Marvin, C. A., 285
Maxson, P. F., 179
McCarthy, F. D., 781
McClaugherty, F. S., 622
McClure, K. E., 6
McCollum, F. T., 570
McCormick, W. C., 632
McCutcheon, S. N., 583
McGlone, J. J., 20
McKeith, F. K., 1201
McLaren, D. G., 902
McMillan, M., 1208
McMurtry, M., 1260
McNeal, L. G., 1110
McNew, R. W., 814
Mendoza, B. G., 413
Merchen, N. R., 1338
Merkel, R. A., 644
Mersmann, H. J., 131
Mesu, J., 731
Meyer, H.H.D., 294
Meyerhoeffer, D. C., 352
Mierzejewski, T., 1619
Miller, E. R., 200, 451, 709, 715, 1012, 1447, 1500
Miller, J. D., 989
Milvae, R. A., 528
Mohr, H. E., 239
Moody, W. G., 1208
Morey, D. D., 503
Morrison, D. G., 608, 617
Morrow, G. A., 82
Moser, B. D., 171
Moss, G. E., 285
Moya, A., 839
Murphey, C. E., 666
Myer, R. O., 503

N

Nadarajah, K., 890
Nebel, R. L., 1631
Nelsen, T. C., 363
Nelssen, J. L., 171
Neville, W. E., Jr., 632
Newman, S., 385, 395
Newsome, F., 1508
Newsome, R. L., 1208
Nicholls, C. F., 1359
Nichols, C. G., 1373, 1385
Nix, J., 25
Nocek, J. E., 1347
Nocerini, M. R., 226, 232
Novakofski, J. E., 1553
Notter, D. R., 136, 145, 154, 622, 890

O

Ohlson, D. L., 35
Old, C. A., 766
Oldfield, J. E., 791
Owens, F. N., 803, 814

P

Palmer, A. Z., 839
Parfet, J. R., 285

Park, C. S., 1045
Parker, C. F., 6
Parkinson, J. F., 1087
Parsons, M. J., 451, 1447
Paterson, J. A., 301, 551, 1472
Patton, N. M., 1029
Pearson, R. E., 271
Pelletier, J., 1308
Peo, E. R., Jr., 171, 487, 1412
Petersen, M. K., 1324
Pflugfelder, R. L., 877
Philpot, R. M., 248
Pinkel, D., 1303
Pinkert, C. A., 1040
Poe, J. H., 578
Pollmann, D. S., 239
Potter, S. G., 839
Price, M. A., 682
Prior, R. L., 560, 1491
Pritchard, R. H., 822
Proulx, J. G., 1403
Prouty, F. L., 832
Prunier, A., 1308
Purchas, R. W., 644

Q

Quirke, J. F., 1463

R

Rampacek, G. B., 1040
Ramsay, T., 1553
Randel, R. D., 760
Rapp, M., 294
Reeves, J. B., III, 316
Reeves, J. J., 358, 532
Reinhardt, T. A., 1005
Reynolds, W. L., 363
Riewe, M. E., 1201
Riggs, J. K., 877
Ringkob, T. P., 675
Roberts, S., 25
Robison, O. W., 89, 1133, 1142, 1156
Rodriguez, J. M., 1021
Roehrig, K. L., 190
Rompala, R. E., 427
Romsos, D. R., 644
Rosebrough, R. W., 1260
Rosell, V. L., 480
Rowden, L., 25
Rubaj, B., 1619
Rucinski, T., 1619
Ruggles, A. J., 749
Rumsey, T. S., 1454
Rutledge, J. J., 58, 69, 964

S

Saacke, R. G., 1631
Sanchez, W. K., 1029
Sauter, E. A., 1087
Savell, J. W., 1201
Schake, L. M., 877
Schelling, G. T., 578, 1479, 1485
Schiewe, M. C., 1610
Schmidt, P. M., 1610
Schmidt, W. E., 599, 755
Schoenemann, H. M., 532
Sechen, S. J., 583
Secrist, J. L., 434
Seideman, S. C., 1228
Seitz, L. M., 239
Self, H. L., 970
Senger, P. L., 35, 760
Shields, R. G., Jr., 179
Short, R. E., 363
Shull, L. R., 1597
Shumway, C. R., 913
Simon, J., 248
Simpson, E. J., Jr., 877
Slanger, W. D., 413
Smith, G. C., 666, 1201
Smith, J. J., 434
Smith, M. F., 1055
Spears, J. W., 1072
Spence, C. A., 1280
Squires, E. L., 258
Stabenfeldt, G. H., 1463
Stahly, T. S., 14
Staigmiller, R. B., 342
St. Amour, G., 1359
Steele, N. C., 1260
Steele, R. T., 1330
Steinhour, W. D., 583
Stephenson, D., 1303
Stevenson, J. S., 599, 755
Stewart, T. B., 220
St. George, R. L., 741
Stock, R. A., 560
Stookey, J. M., 1110
Stowe, H. D., 200, 451
Stroud, T. E., 551
Sweeting, M. P., 369
Swingle, R. S., 832
Szabo, R. R., 248

T

Talavera, F., 1045
Tanksley, T. D., Jr., 495
Tao, H., 1454
Tess, M. W., 1133, 1142, 1156
Thaler, R. C., 720
Thomas, G. B., 1562
Thompson, D. L., Jr., 741
Tilton, J. E., 1052
Tobioka, H., 511
Toelle, V. D., 89
Topel, D. G., 970
Trail, J.C.M., 1165, 1175, 1181
Trankina, M. L., 652
Trenkle, A., 652, 1188
Tyznik, W. J., 1

U

Ullrey, D. E., 451
Urick, J. J., 363
Utley, P. R., 329, 632, 1272

V

van Kempen, G.J.M., 731
Veira, D. M., 1359, 1403
Veit, H. P., 154
Verstegen, M.W.A., 731
Villa-Godoy, A., 519

W

Wahlstrom, R. C., 212, 720
Webb, K. E., Jr., 136, 145
Wells, M. E., 352
Wettemann, R. P., 352
Whetter, P. A., 451
Whitehead, D. M., 659, 1280
Whitehurst, G. B., 970
Wiggins, J. P., 118
Wildt, D. E., 1610
Willham, R. L., 1396
Williams, G. L., 1045, 1052
Williams, J. E., 301, 551, 1472
Williams, J. H., 342
Wilson, W. C., 248
Wiltbank, J. N., 25
Wohlt, J. E., 307
Wolynetz, M. S., 334
Wortman, J. A., 519
Wray, C. D., 1280

Y

Young, L. D., 40

Z

Zimmerman, Dean, R., 474, 480
Zorilla-Rios, J., 814

SUBJECT INDEX FOR VOLUME 60, 1985

A

Absorption
Net absorption of amino acids by portal-drained viscera and hind half of beef cattle fed a high concentrate diet, 1491
Net portal absorption of lactate and volatile fatty acids in steers experiencing glucose-induced acidosis or fed a 70% concentrate diet ad libitum, 560
Acceptability
Effect of sunflower seeds on performance, carcass quality, fatty acids and acceptability of pork, 212
Acidosis
Net portal absorption of lactate and volatile fatty acids in steers experiencing glucose-induced acidosis or fed a 70% concentrate diet ad libitum, 560
Adaptation
Characterization of breeds of Bos indicus and Bos taurus cattle for maternal and individual traits, 1165
Additive Models
Multibreed sire evaluation procedures within a country, 942
Adipose Tissue
Adipocyte development in primary rat cell cultures, effect of cell density and serum source, 1553
Adipose tissue growth and cellularity: Changes in bovine adipocyte size and number, 970
Adipose tissue lipolytic rate in genetically obese and lean swine, 131
Cellular and enzyme-histochemical aspects of adipose tissue development in obese (Ossabaw) and lean (crossbred) pig fetuses: An ontogeny study, 1539
Distribution of ether extract, moisture, protein and ash in dissected tissues from ovine carcasses, 977
Effect of swine weaning age on body fat and lipogenic activity in liver and adipose tissue, 190
Effects of fat level on sensory, cooking and instron properties of restructured beef steaks, 434
Effects of in vitro ronnel on metabolic activity in subcutaneous adipose tissue and skeletal muscle from steers, 652
Effects of sex-related differences in external fat deposition on subjective carcass fatness evaluations – Steer versus heifer, 666
Efficiency of feed energy utilization for protein and fat gain in Hereford and Charolais steers, 766
Enzyme histochemical studies in an ontogeny study of muscle development in Ossabaw and decapitated fetuses: Cellular reactions, 1562
Selection for weaning weight and postweaning gain in Hereford cattle.
III. Correlated responses to selection in milk yield, preweaning and postweaning traits, 1156
Aging
Cutability and the effect of electrical stimulation and aging on tenderness of beef from young intact males and castrates, 675
Effects of cattle-finishing systems on carcass traits and aging methods on loin shrinkage and steak color, 1208
Alfalfa
Effects of dietary alfalfa:orchardgrass hay and lasalocid on nutrient utilization by gravid sows, 1247
Intake and digestibility of alfalfa-tall fescue combination diets fed to lambs, 301
Interaction of molybdenum, sulfate and alfalfa in the bovine, 791
The influence of sodium bicarbonate and dehydrated alfalfa as buffers on steer performance and ruminal characteristics, 551
Alkaline Phosphatase
Biological characteristics for assessing low phosphorus intake in growing swine, 699
Amino Acids
An evaluation of threonine and isoleucine as the third and fourth limiting amino acids in corn for growing swine, 487
Commercially processed glandless cottonseed meal for starter, grower and finisher swine, 495
Dietary sodium and chloride levels for growing-finishing pigs, 691
Duration of inhibition of 3-methylindole production by monensin, 226
Effects of combining protein sources on lysine utilization by starter pigs, 470
Effects of either sweet or semi-sweet blue lupine on performance of swine, 989
Efficacy of supplemental tryptophan, threonine, isoleucine and methionine for weanling pigs fed a low-protein, lysine-supplemented, corn-sunflower meal diet, 720
Lysine availability in flash-dried blood meals for swine, 1447
Net absorption of amino acids by portal-drained viscera and hind half of beef cattle fed a high concentrate diet, 1491
Nutritive value of D-tryptophan for the growing pig, 474
Reduction of 3-methylindole production and prevention of acute bovine pulmonary edema and emphysema with lasalocid, 232
The nutritional value of normal and high lysine corns for weanling and growing-finishing swine when fed at four lysine levels, 1412
Threonine requirement of pigs weighing 5 to 15 kg and the effect of excess methionine in diets marginal in threonine, 480
Value of Beagle 82 triticale as a substitute for corn and soybean meal in the diet of pigs, 1272
Ammoniation
Feed additive studies with newly weaned pigs: Efficacy of supplemental copper, antibiotics and organic acids, 462
Anabolic Preparation
Hexestrol residues and metabolites in the tissues of

wethers injected with hexestrol dicaprylate or hexestrol, 511
Antibacterials
Effect of ammoniation of wheat straw on performance and digestion kinetics in cattle, 814
Antibiotics
Efficacy of tiamulin as a growth promotant for growing swine, 14
Arsenicals
Reduction of liver copper concentration by the organic arsenical, 3-nitro-4-hydroxyphenylarsonic acid, 440
Arteries
Occurrence and characteristics of sclerotic lesions in uterine arteries of sterile and multiparous pigs, 1619
Artificial Rearing
The effect of artificial rearing on the growth of foals, 1
Atherosclerosis
Occurrence and characteristics of sclerotic lesions in uterine arteries of sterile and multiparous pigs, 1619
Autoradiography
Muscle growth and satellite cell proliferative activity in obese (ob/ob) mice, 644

B

Beef
Carcass characteristics and sensory properties of Hereford × Shorthorn bulls and steers fed different levels of grass silage and high moisture barley, 1403
Cooking and eating-quality characteristics of dark-cutting beef from young bulls, 682
Cutability and the effect of electrical stimulation and aging on tenderness of beef from young intact males and castrates, 675
Effect of early postmortem temperature on beef tenderness, 1588
Effects of cattle-finishing systems on carcass traits and aging methods on loin shrinkage and steak color, 1208
Effects of fat level on sensory, cooking and instron properties of restructured beef steaks, 434
Effects of sex-related differences in external fat deposition on subjective carcass fatness evaluations – Steer versus heifer, 666
Techniques for predicting beef carcass composition, 1201
Beef Cattle
An economic evaluation of simulated biological production of beef cattle, 913
An evaluation of Lactobacillus acidophilus-treated jojoba meal in beef cattle diets, 832
Characterization of breeds of Bos indicus and Bos taurus cattle for maternal and individual traits, 1165
Comparative performance of straightbred and crossbred (F_1) sires, 632
Comparison of Bos taurus-Bos indicus breed crosses with straightbred Bos indicus breeds of cattle for maternal and individual traits, 1181
Discriminant analysis for predicting dystocia in beef cattle.
I. Comparison with regression analysis, 608
II. Derivation and validation of a prebreeding prediction model, 617
Effects of sex condition, genotype and diet on bovine growth and carcass characteristics, 1219
Evaluation of the use of deuterium oxide dilution techniques for determination of body composition of beef steers, 1188
Feeding value of peanut skins added to bermudagrass pellets and fed to growing beef calves, 329
Growth and composition of the empty body in steers of different maturity types fed concentrate or forage diets, 427
Growth patterns of cows sired by British and Continental beef and American dairy bulls and out of Hereford dams, 890
Heterosis and breed effects on maternal and individual traits of Bos indicus breeds of cattle, 1175
Heritabilities and phenotypic, genetic and environmental correlations for weight, grade and condition of Angus cows, 82
Heterosis retained in advanced generations of crosses among Angus and Hereford cattle, 1117
Influence of prefast feed intake on recovery from feed and water deprivation by beef steers, 772
Life cycle efficiency of beef production:
V. Relationship of cow efficiency ratios for progeny slaughtered to components of input and output, 58
VI. Relationship of cow efficiency ratios for progeny slaughtered to growth, condition, fertility and milk production of the dam, 69
Net absorption of amino acids by portal-drained viscera and hind half of beef cattle fed a high concentrate diet, 1491
Pituitary concentrations of gonadotropins and receptors for GnRH in suckled beef cows at various intervals after calving, 285
Restricted selection indexes: Genetic responses involving maternal effect for weaning weight and other growth traits in beef cattle, 413
Selection for increased weaning or yearling weight in Hereford cattle.
I. Measurement of selection applied, 1373
II. Direct and correlated responses, 1385
Selection for weaning weight and postweaning gain in Hereford cattle.
I. Population structure and selection applied, 1133
II. Response to selection, 1142
III. Correlated responses to selection in milk yield, preweaning and postweaning traits, 1156
Sire × environment interactions in beef cattle weaning weight field data, 1396
Behavior
Behavior and performance of weanling pigs in pens equipped with hide areas, 20
Comparison of four methods of calf confinement.
I. Physiology, 1095
II. Behavior, 1102
Effects of double decking and space allowance on the performance and behavior of feeder lambs, 1110
Feeding and drinking behavior of mares and foals with free access to pasture and water, 883

Social facilitation of feeding and time budgets in stabled ponies, 369
Bermudagrass
Feeding value of peanut skins added to bermudagrass pellets and fed to growing beef calves, 329
Best Linear Unbiased Predictor
Best linear unbiased prediction of nonadditive genetic merits in noninbred populations, 111
Multibreed sire evaluation procedures within a country, 942
Biotin
Supplemental biotin for swine.
I. Influence on feedlot performance, plasma biotin and toe lesions in developing gilts, 136
II. Influence of supplementation to corn- and wheat-based diets on reproductive performance and various biochemical criteria of sows during four parities, 145
III. Influence of supplementation to corn- and wheat-based diets on the incidence and severity of toe lesions, hair and skin characteristics and structural soundness of sows housed in confinement during four parities, 154
Blood Meal
Lysine availability in flash-dried blood meals for swine, 1447
Body Composition
Distribution of ether extract, moisture, protein and ash in dissected tissues from ovine carcasses, 977
Effect of dietary gestation and lactation protein levels on reproductive performance and body composition of first-litter female swine, 179
Effect of swine weaning age on body fat and lipogenic activity in liver and adipose tissue, 190
Energy intake, body composition and reproductive performance of the gilt, 1518
Evaluation of the use of deuterium oxide dilution techniques for determination of body composition of beef steers, 1188
Breeding
Comparisons of specific crosses from Duroc, Hampshire and Spot backcross sows, 603
Discriminant analysis for predicting dystocia in beef cattle.
II. Derivation and validation of a prebreeding prediction model, 617
Microencapsulation of bovine spermatozoa, 1631
Onset of puberty and duration of the breeding season in Suffolk, Rambouillet, Finnish Landrace, Dorset and Finn-Dorset ewe lambs, 1463
Reproductive traits of sows penned individually or in groups until 35 days after breeding, 755
Scheduled breeding of gilts after estrous synchronization with altrenogest, 599
The effect of repeated mating at short intervals on reproductive performance of gilts, 1052
The manipulation of variation in quantitative traits: A review of possible genetic strategies, 101
Breeds
Breed group differences in testicular growth patterns in spring-born ram lambs, 622
Characterization of breeds of Bos indicus and Bos taurus cattle for maternal and individual traits, 1165
Comparison of Bos taurus-Bos indicus breed crosses with straightbred Bos indicus breeds of cattle for maternal and individual traits, 1181
Comparison of Charolais and Limousin as terminal cross sire breeds, 935
Effects of sex condition, genotype and diet on bovine growth and carcass characteristics, 1219
Effects of sex condition, genotype, diet and carcass electrical stimulation on the collagen content and palatability of two bovine muscles, 1228
Growth patterns of cows sired by British and Continental beef and American dairy bulls and out of Hereford dams, 890
Heterosis and breed effects on maternal and individual traits of Bos indicus breeds of cattle, 1175.
Multibreed sire evaluation procedures across countries, 953
Multibreed sire evaluation procedures within a country, 942
Onset of puberty and duration of the breeding season in Suffolk, Rambouillet, Finnish Landrace, Dorset and Finn-Dorset ewe lambs, 1463
Bromoethanesulfonic Acid
Effects of monensin, pyromellitic diimide and 2-bromoethanesulfonic acid on rumen fermentation in vitro, 544
Buffers
Effect of supplementing equi-valent cation amounts from NaCl, MgO, $NaHCO_3$ and $CaCO_3$ on nutrient utilization and acid-base status of growing Dorset lambs fed high concentrate diets, 307
Bulls
Carcass characteristics and sensory properties of Hereford × Shorthorn bulls and steers fed different levels of grass silage and high moisture barley, 1403
Cutability and the effect of electrical stimulation and aging on tenderness of beef from young intact males and castrates, 675
Effects of sex condition, genotype and diet on bovine growth and carcass characteristics, 1219
Effects of sex condition, genotype, diet and carcass electrical stimulation on the collagen content and palatability of two bovine muscles, 1228
Reproductive criteria of beef bulls during and after exposure to increased ambient temperature, 352
Sexual development in beef bulls following zeranol implants, 342
Temporal patterns of growth hormone in blood and seminal plasma of mature dairy bulls, 35

C

Calcium
Biological characteristics for assessing low phosphorus intake in growing swine, 699
Effect of dietary calcium on selenium retention in postweaning swine, 1429
Effects of monensin on Mg, Ca, P and Zn metabolism and tissue concentrations in lambs, 1485

Site and extent of starch and neutral detergent fiber digestion as affected by source of calcium and level of corn, 1330
Carbadox
Efficacy of tiamulin as a growth promotant for growing swine, 14
Carcasses
Adipose tissue growth and cellularity: Changes in bovine adipocyte size and number, 970
Carcass characteristics and sensory properties of Hereford X Shorthorn bulls and steers fed different levels of grass silage and high moisture barley, 1403
Cooking and eating-quality characteristics of dark-cutting beef from young bulls, 682
Cutability and the effect of electrical stimulation and aging on tenderness of beef from young intact males and castrates, 675
Effect of early postmortem temperature on beef tenderness, 1588
Effect of sunflower seeds on performance, carcass quality, fatty acids and acceptability of pork 212
Effects of cattle-finishing systems on carcass traits and aging methods on loin shrinkage and steak color, 1208
Effects of sex condition, genotype and diet on bovine growth and carcass characteristics, 1219
Effects of sex-related differences in external fat deposition on subjective carcass fatness evaluations – Steer versus heifer, 666
Growth and composition of the empty body in steers of different maturity types fed concentrate or forage diets, 427
Sexual development in beef bulls following zeranol implants, 342
Stimulation of swine growth by porcine growth hormone, 118
Techniques for predicting beef carcass composition, 1201
Value of Beagle 82 triticale as a substitute for corn and soybean meal in the diet of pigs, 1272
Carotene
Effects of vitamin A and β-carotene on reproductive performance in gilts, 998
Cattle
A technique for isolation of bovine hepatocytes, 1597
Adipose tissue growth and cellularity: Changes in bovine adipocyte size and number, 970
Comparison of Charolais and Limousin as terminal cross sire breeds, 935
Dietary energy density and frame size effects on composition of gain in feedlot cattle, 781
Effect of salinomycin level on nutrient digestibility and ruminal characteristics of sheep and feedlot performance of cattle, 1338
Evaluation of moisture uptake, aerobic and anaerobic phases of reconstitution upon sorghum grain digestibility and performance of steers, 877
Fully automated system for aerobic or anaerobic sampling of duodenal digesta in sheep or cattle equipped with duodenal reentrant cannulas, 1359
Influence of protein degradability in range supplements on abomasal nitrogen flow, nitrogen balance and nutrient digestibility, 1324
Interaction of molybdenum, sulfate and alfalfa in the bovine, 791
LHRH receptor, LH and FSH concentrations in anterior pituitaries of cycling, noncycling and early pregnant heifers, 532
Microencapsulation of bovine spermatozoa, 1631
Palpated and visually assigned condition scores compared with weight, height and heart girth in Hereford and crossbred cows, 363
The concentration of estradiol-17β in bovine semen, 760
The effects of commercial processing method of cottonseen meal on site and extent of digestion in cattle, 803
Chloride
Dietary sodium and chloride levels for growing-finishing pigs, 691
Cholesterol
Relationships among dietary lipid intake, serum cholesterol and ovarian function in Holstein heifers, 1045
Circadian Rhythm
Cotrisol response of gilts in tether stalls, 264
Citric Acid
Feed additive studies with newly weaned pigs: Efficacy of supplemental copper, antibiotics and organic acids, 462
Cold Shock
Effect of male accessory gland secretions on sensitivity of porcine sperm acrosomes to cold shock, initiation of motility and loss of cytoplasmic droplets, 1295
Collagen
Effects of sex condition, genotype, diet and carcass electrical stimulation on the collagen content and palatability of two bovine muscles, 1228
The role of collagen in the development of muscle and its relationship to eating quality, 1580
Compensatory Response
Raw soybeans for growing-finishing pigs, 725
Condition Score
Palpated and visually assigned condition scores compared with weight; height and heart girth in Hereford and crossbred cows, 363
Cooking Characteristics
Cooking and eating-quality characteristics of dark-cutting beef from young bulls, 682
Effects of fat level on sensory, cooking and instron properties of restructured beef steaks, 434
Copper
Feed additive studies with newly weaned pigs: Efficacy of supplemental copper, antibiotics and organic acids, 462
Reduction of liver copper concentration by the organic arsenical, 3-nitro-4-hydroxyphenylarsonic acid, 440
Corn
Evaluation of wet and dry distillers grains and wet and dry corn gluten feeds for ruminants, 847
Response of starter pigs to supplementation of corn-soybean meal diets with organic acids, 1288
Site and extent of starch and neutral detergent fiber digestion as affected by source of calcium and level of corn, 1330

The nutritional value of normal and high lysine corns for weanling and growing-finishing swine when fed at four lysine levels, 1412
Corpus Luteum
Effect of ovarian follicles on luteal regression in heifers, 519
Inhibition of bovine luteal function by indomethacin, 528
Regression of induced corpora lutea by human chorionic gonadotropin in prepuberal gilts, 1040
Correlations
Estimates of genetic correlations between testicular measurements and female reproductive traits in cattle, 89
Genetic, phenotypic and environmental relationships between sow body weight and sow productivity traits, 375
Heritabilities and phenotypic, genetic and environmental correlations for weight, grade and condition of Angus cows, 82
Selection for weaning weight and postweaning gain in Hereford cattle.
II. Response to selection, 1142
Sire ranking based upon purebred versus crossbred progeny performance in swine, 902
Cortisol
Cortisol response of gilts in tether stalls, 264
Cottonseed Meal
Commercially processed glandless cottonseed meal for starter, grower and finisher swine, 495
Influence of cottonseed meal supplementation on voluntary intake, rumen fermentation and rate of passage of prairie hay in beef steers, 570
The effects of commercial processing method of cottonseed meal on site and extent of digestion in cattle, 803
Cow Efficiency
Life cycle efficiency of beef production:
V. Relationship of cow efficiency ratios for progeny slaughtered to components of input and output, 58
VI. Relationship of cow efficiency ratios for progeny slaughtered to growth, condition, fertility and milk production of the dam, 69
Prediction equations of beef cow efficiency, 964
Crossbreeding
Comparative performance of straightbred and crossbred (F_1) sires, 632
Comparison of Bos taurus-Bos indicus breed crosses with straightbred Bos indicus breeds of cattle for maternal and individual traits, 1181
Comparison of Charolais and Limousin as terminal cross sire breeds, 935
Comparisons of specific crosses from Duroc, Hampshire and Spot backcross sows, 603
Growth patterns of cows sired by British and Continental beef and American dairy bulls and out of Hereford dams, 890
Multibreed sire evaluation procedures across countries, 953
Sire ranking based upon purebred versus crossbred progeny performance in swine, 902
Culling
Economic efficiency of lean tissue production through crossbreeding: Systems modeling with mice.
II. Reproduction-growth termination alternatives, 395
Culture Technique
Effects of monensin, pyromellitic diimide and 2-bromoethanesulfonic acid on rumen fermentation in vitro, 544
Cutability
Cutability and the effect of electrical stimulation and aging on tenderness of beef from young intact males and castrates, 675
Effects of sex-related differences in external fat deposition on subjective carcass fatness evaluations – Steer versus heifer, 666
Cytochromes
A technique for isolation of bovine hepatocytes, 1597
Species susceptibility to the pulmonary toxicity of 3-furyl isoamyl ketone (perilla ketone): In vivo support for involvement of the lung monooxygenase system, 248

D

Dairy Cattle
Comparison of four methods of calf confinement.
I. Physiology, 2095
II. Behavior, 1102
Influence of selection for milk yield on endogenous hormones and metabolites in Holstein heifers and cows, 271
Temporal patterns of growth hormone in blood and seminal plasma of mature dairy bulls, 35
Deficiencies
Efficacy of supplemental tryptophan, threonine, isoleucine and methionine for weanling pigs fed a low-protein, lysine-supplemented, corn-sunflower meal diet, 720
Deprivation
Influence of prefast feed intake on recovery from feed and water deprivation by beef steers, 772
Deoxynivalenol
Deoxynivalenol-contaminated wheat in swine diets, 239
Deoxyribonucleic Acid
Flow cytometric determination of the proportions of x- and y-chromosome-bearing sperm in samples of purportedly separated bull sperm, 1303
Deuterium Oxide
Evaluation of the use of deuterium oxide dilution techniques for determination of body composition of beef steers, 1188
Techniques for predicting beef carcass composition, 1201
Diets
An evaluation of threonine and isoleucine as the third and fourth limiting amino acids in corn for growing swine, 487
Carcass characteristics and sensory properties of Hereford X Shorthorn bulls and steers fed different levels of grass silage and high moisture barley, 1403

Dietary energy density and frame size effects on composition of gain in feedlot cattle, 781
Effect of 1,3-butanediol and short chain acids in sow gestation diets on maternal plasma metabolites and fetal energy storage, 1280
Effect of dietary calcium on selenium retention in postweaning swine, 1429
Effect of dietary gestation and lactation protein levels on reproductive performance and body composition of first-litter female swine, 179
Effect of dietary phosphorus on selenium retention in postweaning swine, 1438
Effect of source of dietary energy and energy restriction during lactation on sow and litter performance, 171
Effect on the ewe and lamb of low zinc intake throughout pregnancy, 1530
Effects of dietary alfalfa:orchardgrass hay and lasalocid on nutrient utilization by gravid sows, 1247
Effects of sex condition, genotype and diet on bovine growth and carcass characteristics, 1219
Effects of sex condition, genotype, diet and carcass electrical stimulation on the collagen content and palatability of two bovine muscles, 1228
Endocrine adaptations of periparturient swine to alteration of dietary energy source, 1260
Energy intake, body composition and reproductive performance of the gilt, 1518
Genetic predisposition of pigs to hypo- and hyperselenemia, 200
Influence of dietary alfalfa:orchardgrass hay and lasalocid on in vitro estimates of dry matter digestibility and volatile fatty acid concentrations of cecal contents and rate of digesta passage in sows, 1235
Intake and digestibility of alfalfa-tall fescue combination diets fed to lambs, 301
Intake and digestibility of wheat straw diets by goats and sheep, 1318
Involvement of water-soluble vitamins in diseases of swine, 1508
Lysine availability in flash-dried blood meals for swine, 1447
Relationships among dietary lipid intake, serum cholesterol and ovarian function in Holstein heifers, 1045
Response of starter pigs to supplementation of corn-soybean meal diets with organic acids, 1288
Supplemental biotin for swine.
II. Influence of supplementation to corn- and wheat-based diets on reproductive performance and various biochemical criteria of sows during four parities, 145
The influence of sodium bicarbonate and dehydrated alfalfa as buffers on steer performance and ruminal characteristics, 551
The nutritional value of normal and high lysine corns for weanling and growing-finishing swine when fed at four lysine levels, 1412
Value of Beagle 82 triticale as a substitute for corn and soybean meal in the diet of pigs, 1272

Differentiation
Effect of insulin and linoleic acid on satellite cell differentiation, 1571

Digestibility
An evaluation of Lactobacillus acidophilus-treated jojoba meal in beef cattle diets, 832
Commercially processed glandless cottonseed meal for starter, grower and finisher swine, 495
Effect of crude protein and ruminal ammonia-N on digestibility and ruminal outflow in beef cattle fed wheat straw, 822
Effect of salinomycin level on nutrient digestibility and ruminal characteristics of sheep and feedlot performance of cattle, 1338
Evaluation of moisture uptake, aerobic and anaerobic phases of reconstitution upon sorghum grain digestibility and performance of steers, 877
Influence of protein degradability in range supplements on abomasal nitrogen flow, nitrogen balance and nutrient digestibility, 1324
Intake and digestibility of wheat straw diets by goats and sheep, 1318
Lignin composition and in vitro digestibility of feeds, 316
The influence of sodium bicarbonate and dehydrated alfalfa as buffers on steer performance and ruminal characteristics, 551
The lactic acid and volatile fatty acid content and in vitro organic matter digestibility of silages made from potato processing residues and barley straw, 1087

Digestion
Effect of ammoniation of wheat straw on performance and digestion kinetics in cattle, 814
Effects of either sweet or semi-sweet blue lupine on performance of swine, 989
Evaluation of specific variables affecting in situ estimates of ruminal dry matter and protein digestion, 1347
Fully automated system for aerobic or anaerobic sampling of duodenal digesta in sheep or cattle equipped with duodenal reentrant cannulas, 1359
Influence of an experimental infection of Ascaris suum on performance of pigs, 220
Influence of dietary alfalfa:orchardgrass hay and lasalocid on in vitro estimates of dry matter digestibility and volatile fatty acid concentrations of cecal contents and rate of digesta passage in sows, 1235
Nutritive value of Beagle 82 triticale for swine, 503
Site and extent of starch and neutral detergent fiber digestion as affected by source of calcium and level of corn, 1330
Sources of variation and prospects for improvement of productive efficiency in the dairy cow: A review, 583

Discriminant Analysis
Discriminant analysis for predicting dystocia in beef cattle.
I. Comparison with regression analysis, 608
II. Derivation and validation of a prebreeding prediction model, 617

Diseases
Involvement of water-soluble vitamins in diseases of swine, 1508
Mineral X disease interactions, 1500

Distillers Grains
Evaluation of wet and dry distillers grains and wet and dry corn gluten feeds for ruminants, 847
Drinking
Feeding and drinking behavior of mares and foals with free access to pasture and water, 883
Dystocia
Discriminant analysis for predicting dystocia in beef cattle.
I. Comparison with regression analysis, 608
II. Derivation and validation of a prebreeding prediction model, 617

E

Eating Quality
Cooking and eating-quality characteristics of dark-cutting beef from young bulls, 682
The role of collagen in the development of muscle and its relationship to eating quality, 1580
Economics
An economic evaluation of simulated biological production of beef cattle, 913
Economic efficiency of lean tissue production through crossbreeding: Systems modeling with mice.
I. Definition of the bioeconomic objective, 385
II. Reproduction-growth termination alternatives, 395
Lamb production and its components in pure breeds and composite lines.
III. Genetic parameters, 40
Edema
Duration of inhibition of 3-methylindole production by monensin, 226
Efficiency
An economic evaluation of simulated biological production of beef cattle, 913
Dietary energy density and frame size effects on composition of gain in feedlot cattle, 781
Effect of salinomycin level on nutrient digestibility and ruminal characteristics of sheep and feedlot performance of cattle, 1338
Efficiency of feed energy utilization for protein and fat gain in Hereford and Charolais steers, 766
Energy balances of lactating sows in relation to feeding level and stage of lactation, 731
Life cycle efficiency of beef production:
V. Relationship of cow efficiency ratios for progeny slaughtered to components of input and output, 58
VI. Relationship of cow efficiency ratios for progeny slaughtered to growth, condition, fertility and milk production of the dam, 69
Selection for weaning weight and postweaning gain in Hereford cattle.
III. Correlated responses to selection in milk yield, preweaning and postweaning traits, 1156.
Sources of variation and prospects for improvement of productive efficiency in the dairy cow: A review, 583
Units for feed evaluation and requirements for commercially grown rabbits, 1021
Electrical Stimulation
Cutability and the effect of electrical stimulation and aging on tenderness of beef from young intact males and castrates, 675
Electrolytes
Dietary sodium and chloride levels for growing-finishing pigs, 691
Embryos
Effect of age of equine embryos and method of transfer on pregnancy rate, 258
The effect of repeated mating at short intervals on reproductive performance of gilts, 1052
Toxicity potential of absorbed-retained ethylene oxide residues in culture dishes on embryo development in vitro, 1610
Energy Balance
Wheat middlings as a source of energy, amino acids, phosphorus and pellet binding quality for swine diets, 1012
Epistasis
Heterosis retained in advanced generations of crosses among Angus and Hereford cattle, 1117
Ergonovine
Effect of prostaglandin $F_2\alpha$, phenylephrine and ergonovine on uterine contractions in the ewe, 537
Estrogens
Estrogen receptor in bovine skeletal muscle, 294
Plasma prolactin, LH, FSH and estrogen excretion patterns in gilts during sexual development, 1308
The concentration of estradiol-17β in bovine semen, 760
Estrus
Cortisol response of gilts in tether stalls, 264
Effect of prostaglandin $F_2\alpha$, phenylephrine and ergonovine on uterine contractions in the ewe, 537
Effect of source of dietary energy and energy restriction during lactation on sow and litter performance, 171
LHRH receptor, LH and FSH concentrations in anterior pituitaries of cycling, noncycling and early pregnant heifers, 532
Onset of puberty and duration of the breeding season in Suffolk, Rambouillet, Finnish Landrace, Dorset and Finn-Dorset ewe lambs, 1463
Pituitary concentrations of gonadotropins and receptors for GnRH in suckled beef cows at various intervals after calving, 285
Reproductive performance and profitability of heifers fed to weigh 272 or 318 kg at the start of the first breeding season, 25
Scheduled breeding of gilts after estrous synchronization with altrenogest, 599
Ethylene Oxide
Toxicity potential of absorbed-retained ethylene oxide residues in culture dishes on embryo development in vitro, 1610
Ewes
Effects of number of lambs suckled and supplemental protein source on lactating ewe performance, 6
Increased ovulation rate of adult ewes treated with anti-bovine LH antiserum during the normal breeding season, 749

Lamb production and its components in pure breeds and composite lines.
III. Genetic parameters, 40
Reproductive performance of Finnish Landrace and Suffolk sheep maintained indoors yearround, 334

F

Fatty Acids
Effect of exogenous glucagon and free fatty acids on gluconeogenesis in fasting neonatal pigs, 659
Effect of salinomycin level on nutrient digestibility and ruminal characteristics of sheep and feedlot performance of cattle, 1338
Effect of sunflower seeds on performance, carcass quality, fatty acids and acceptability of pork, 212
Net portal absorption of lactate and volatile fatty acids in steers experiencing glucose-induced acidosis or fed a 70% concentrate diet ad libitum, 560
Reduction of 3-methylindole production and prevention of acute bovine pulmonary edema and emphysema with lasalocid, 232
Relationship of rumen fluid dilution rate to rumen fermentation and dietary characteristics of beef steers, 1061
Sugarcane condensed molasses solubles as a feed ingredient for finishing cattle, 839
The lactic acid and volatile fatty acid content and in vitro organic matter digestibility of silages made from potato processing residues and barley straw, 1087
Feeding
Effect of ammoniation of wheat straw on performance and digestion kinetics in cattle, 814
Effect of early postmortem temperature on beef tenderness, 1588
Effects of cattle-finishing systems on carcass traits and aging methods on loin shrinkage and steak color, 1208
Energy balances of lactating sows in relation to feeding level and stage of lactation, 731
Feeding and drinking behavior of mares and foals with free access to pasture and water, 883
Feedlot performance of hysterectomized and ovariectomized heifers, 358
Influence of prefast feed intake on recovery from feed and water deprivation by beef steers, 772
Social facilitation of feeding and time budgets in stabled ponies, 369
Feeds
Lignin composition and in vitro digestibility of feeds, 316
Sugarcane condensed molasses solubles as a feed ingredient for finishing cattle, 839
The effects of commercial processing method of cottonseed meal on site and extent of digestion in cattle, 803
Units for feed evaluation and requirements for commercially grown rabbits, 1021
Wheat middlings as a source of energy, amino acids, phosphorus and pellet binding quality for swine diets, 1012
Fermentation
Effects of monensin, pyromellitic diimide and 2-bromoethanesulfonic acid on rumen fermentation in vitro, 544
Influence of cottonseed meal supplementation on voluntary intake, rumen fermentation and rate of passage of prairie hay in beef steers, 570
Nitrogen utilizaiton and ruminal fermentation in steers fed soybean meal treated with formaldehyde, 1072
Relationship of rumen fluid dilution rate to rumen fermentation and dietary characteristics of beef steers, 1061
Rur en fermentation characteristics, nitrogen balance and growth in lambs fed methane digester effluent, 1472
Fescue
Intake and digestibility of alfalfa-tall fescue combination diets fed to lambs, 301
Fiber
Site and extent of starch and neutral detergent fiber digestion as affected by source of calcium and level of corn, 1330
Flow Cytometry
Flow cytometric determination of the proportions of x- and y-chromosome-bearing sperm in samples of purportedly separated bull sperm, 1303
Fluid Dilution Rate
Relationship of rumen fluid dilution rate to rumen fermentation and dietary characteristics of beef steers, 1061
Follicle Stimulating Hormone
Increased ovulation rate of adult ewes treated with anti-bovine LH antiserum during the normal breeding season, 749
Patterns of secretion of leuteinizing hormone, follicle stimulating hormone and testosterone in stallions during the summer and winter, 741
Plasma prolactin, LH, FSH and estrogen excretion patterns in gilts during sexual development, 1308
Follicles
Effect of ovarian follicles on luteal regression in heifers, 519
Effect of unilateral ovariectomy and injection of bovine follicular fluid on gonadotropin secretion and compensatory ovarian hypertrophy in prepuberal heifers, 1055
Formaldehyde
Nitrogen utilization and ruminal fermentation in steers fed soybean meal treated with formaldehyde, 1072
Frame Size
Dietary energy density and frame size effects on composition of gain in feedlot cattle, 781
Palpated and visually assigned condition scores compared with weight, height and heart girth in Hereford and crossbred cows, 363
Fumaric Acid
Feed additive studies with newly weaned pigs: Efficacy of supplemental copper, antibiotics and organic acids, 462
Fusarium
Deoxynivalenol-contaminated wheat in swine diets, 239

G

Gain
Efficiency of feed energy utilization for protein and fat gain in Hereford and Charolais steers, 766
Gas Sterilization
Toxicity potential of absorbed-retained ethylene oxide residues in culture dishes on embryo development in vitro, 1610
Genetic Manipulation
The manipulation of variation in quantitative traits: A review of possible genetic strategies, 101
Gilts
Cortisol response of gilts in tether stalls, 264
Effects of vitamin A and β-carotene on reproductive performance in gilts, 998
Energy intake, body composition and reproductive performance of the gilt, 1518
Plasma prolactin, LH, FSH and estrogen excretion patterns in gilts during sexual development, 1308
Regression of induced corpora lutea by human chorionic gonadotropin in prepuberal gilts, 1040
Supplemental biotin for swine.
I. Influence on feedlot performance, plasma biotin and toe lesions in developing gilts, 136
The effect of repeated mating at short intervals on reproductive performance of gilts, 1052
Glucagon
Effect of 1,3-butanediol and short chain acids in sow gestation diets on maternal plasma metabolites and fetal energy storage, 1280
Effect of exogenous glucagon and free fatty acids on gluconeogenesis in fasting neonatal pigs, 659
Gluconeogenesis
A technique for isolation of bovine hepatocytes, 1597
Effect of exogenous glucagon and free fatty acids on gluconeogenesis in fasting neonatal pigs, 659
Glucose
Effect of 1,3-butanediol and short chain acids in sow gestation diets on maternal plasma metabolites and fetal energy storage, 1280
Net absorption of amino acids by portal-drained viscera and hind half of beef cattle fed a high concentrate diet, 1491
Glutathione Peroxidase
Effect of dietary calcium on selenium retention in postweaning swine, 1429
Effect of dietary phosphorus on selenium retention in postweaning swine, 1438
Glycogen
Effect of 1,3-butanediol and short chain acids in sow gestation diets on maternal plasma metabolites and fetal energy storage, 1280
Goats
Intake and digestibility of wheat straw diets by goats and sheep, 1318
Gonadotropins
Effect of unilateral ovariectomy and injection of bovine follicular fluid on gonadotropin secretion and compensatory ovarian hypertrophy in prepuberal heifers, 1055
Pituitary concentrations of gonadotropins and receptors for GnRH in suckled beef cows at various intervals after calving, 285
Grain
Supplemental biotin for swine.
II. Influence of supplementation to corn- and wheat-based diets on reproductive performance and various biochemical criteria of sows during four parities, 145
Grass Tetany
Effects of dietary potassium and sodium on magnesium utilization in sheep, 578
Grazing
Feeding and drinking behavior of mares and foals with free access to pasture and water, 883
Growth
An evaluation of threonine and isoleucine as the third and fourth limiting amino acids in corn for growing swine, 487
Breed group differences in testicular growth patterns in spring-born ram lambs, 622
Dietary energy density and frame size effects on composition of gain in feedlot cattle, 781
Effect of dietary crude protein level on the reproductive performance and growth of New Zealand White rabbits, 1029
Effects of double decking and space allowance on the performance and behavior of feeder lambs, 1110
Effects of in vitro ronnel on metabolic activity in subcutaneous adipose tissue and skeletal muscle from steers, 652
Effects of sex condition, genotype and diet on bovine growth and carcass characteristics, 1219
Efficacy of tiamulin as a growth promotant for growing swine, 14
Feed additive studies with newly weaned pigs: Efficacy of supplemental copper, antibiotics and organic acids, 462
Growth patterns of cows sired by British and Continental beef and American dairy bulls and out of Hereford dams, 890
Muscle growth and satellite cell proliferative activity in obese (ob/ob) mice, 644
Selection for increased weaning or yearling weight in Hereford cattle.
I. Measurement of selection applied, 1373
II. Direct and correlated responses, 1385
Selection for weaning weight and postweaning gain in Hereford cattle.
I. Population structure and selection applied, 1133
II. Response to selection, 1142
III. Correlated responses to selection in milk yield, preweaning and postweaning traits, 1156
The effect of artificial rearing on the growth of foals, 1
Growth Hormone
Endocrine adaptations of periparturient swine to alteration of dietary energy source, 1260
Influence of selection for milk yield on endogenous hormones and metabolites in Holstein heifers and cows, 271
Stimulation of swine growth by porcine growth hormone, 118

Temporal patterns of growth hormone in blood and seminal plasma of mature dairy bulls, 35

H

Hair Quality
Supplemental biotin for swine.
III. Influence of supplementation to corn- and wheat-based diets on the incidence and severity of toe lesions, hair and skin characteristics and structural soundness of sows housed in confinement during four parities, 154
Hay
Effects of dietary alfalfa:orchardgrass hay and lasalocid on nutrient utilization by gravid sows, 1247
Influence of cottonseed meal supplementation on voluntary intake, rumen fermentation and rate of passage of prairie hay in beef steers, 570
Influence of dietary alfalfa:orchardgrass hay and lasalocid on in vitro estimates of dry matter digestibility and volatile fatty acid concentrations of cecal contents and rate of digesta passage in sows, 1235
Heifers
Effect of ovarian follicles on luteal regression in heifers, 519
Feedlot performance of hysterectomized and ovariectomized heifers, 358
Relationships among dietary lipid intake, serum cholesterol and ovarian function in Holstein heifers, 1045
Reproductive performance and profitability of heifers fed to weigh 272 or 318 kg at the start of the first breeding season, 25
Hepatocytes
A technique for isolation of bovine hepatocytes, 1597
Heritabilities
Estimates of genetic correlations between testicular measurements and female reproductive traits in cattle, 89
Genetic, phenotypic and environmental relationships between sow body weight and sow productivity traits, 375
Heritabilities and phenotypic, genetic and environmental correlations for weight, grade and condition of Angus cows, 82
Lamb production and its components in pure breeds and composite lines.
III. Genetic parameters, 40
Selection for weaning weight and postweaning gain in Hereford cattle.
II. Response to selection, 1142
Sire ranking based upon purebred versus crossbred progeny performance in swine, 902
Heterosis
Comparative performance of straightbred and crossbred (F_1) sires, 632
Heterosis and breed effects on maternal and individual traits of Bos indicus breeds of cattle, 1175
Heterosis retained in advanced generations of crosses among Angus and Hereford cattle, 1117
Hexestrol
Hexestrol residues and metabolites in the tissues of wethers injected with hexestrol dicaprylate or hexestrol, 511
Hide Area
Behavior and performance of weanling pigs in pens equipped with hide areas, 20
Histochemistry
Adipocyte development in primary rat cell cultures, effect of cell density and serum source, 1553
Cellular and enzyme-histochemical aspects of adipose tissue development in obese (Ossabaw) and lean (crossbred) pig fetuses: An ontogeny study, 1539
Enzyme histochemical studies in an ontogeny study of muscle development in Ossabaw and decapitated fetuses: Cellular reactions, 1562
Histology
Deoxynivalenol-contaminated wheat in swine diets, 239
Homeorhesis
Sources of variation and prospects for improvement of productive efficiency in the dairy cow: A review, 583
Horses
Effect of age of equine embryos and method of transfer on pregnancy rate, 258
Feeding and drinking behavior of mares and foals with free access to pasture and water, 883
Patterns of secretion of luteinizing hormone, follicle stimulating hormone and testosterone in stallions during the summer and winter, 741
Social facilitation of feeding and time budgets in stabled ponies, 369
The effect of artificial rearing on the growth of foals, 1
Housing
Behavior and performance of weanling pigs in pens equipped with hide areas, 20
Comparison of four methods of calf confinement.
I. Physiology, 1095
II. Behavior, 1102
Cortisol response of gilts in tether stalls, 264
Effects of double decking and space allowance on the performance and behavior of feeder lambs, 1110
Reproductive performance of Finnish Landrace and Suffolk sheep maintained indoors yearround, 334
Reproductive traits of sows penned individually or in groups until 35 days after breeding, 755
Human Chorionic Gonadotropin
Regression of induced corpora lutea by human chorionic gonadotropin in prepuberal gilts, 1040
Hyaluronidase
Effect of male accessory gland secretions on sensitivity of porcine sperm acrosomes to cold shock, initiation of motility and loss of cytoplasmic droplets, 1295
Hydroxylase
Effect of dietary phosphorus levels on porcine renal 25-hydroxyvitamin D-1α- and 24R-hydroxylase activities and plasma 1,25-dihydroxyvitamin D_3 concentration, 1005
Hypoglycemia
Effect of exogenous glucagon and free fatty acids on gluconeogenesis in fasting neonatal pigs, 659

Hysterectomy
Feedlot performance of hysterectomized and ovariectomized heifers, 358

I

Indole
Duration of inhibition of 3-methylindole production by monensin, 226
Reduction of 3-methylindole production and prevention of acute bovine pulmonary edema and emphysema with lasalocid, 232
Indomethacin
Inhibition of bovine luteal function by indomethacin, 528
Immune Response
Mineral X disease interactions, 1500
Immunoglobulin
Effects of vitamin A and β-carotene on reproductive performance in gilts, 998
Insulin
Endocrine adaptations of periparturient swine to alteration of dietary energy source, 1260
Effect of insulin and linoleic acid on satellite cell differentiation, 1571
Net absorption of amino acids by portal-drained viscera and hind half of beef cattle fed a high concentrate diet, 1491
Stimulation of swine growth by porcine growth hormone, 118
Ionophores
Effects of monensin on monovalent ion metabolism and tissue concentrations in lambs, 1479

J

Jojoba Meal
An evaluation of Lactobacillus acidophilus-treated jojoba meal in beef cattle diets, 832

K

Ketones
Species susceptibility to the pulmonary toxicity of 3-furyl isoamyl ketone (perilla ketone): In vivo support for involvement of the lung monooxygenase system, 248
Effect of 1,3-butanediol and short chain acids in sow gestation diets on maternal plasma metabolites and fetal energy storage, 1280
Kinetics
Effect of ammoniation of wheat straw on performance and digestion kinetics in cattle, 814
Evaluation of the use of deuterium oxide dilution techniques for determination of body composition of beef steers, 1188

L

Lactate
Net portal absorption of lactate and volatile fatty acids in steers experiencing glucose-induced acidosis or fed a 70% concentrate diet ad libitum, 560
Lactation
Effects of number of lambs suckled and supplemental protein source on lactating ewe performance, 6
Effect of source of dietary energy and energy restriction during lactation on sow and litter performance, 171
Raw soybeans for gestating swine, 163
Sources of variation and prospects for improvement of productive efficiency in the dairy cow: A review, 583
Lambs
Effects of monensin on monovalent ion metabolism and tissue concentrations in lambs, 1479
Lasalocid
Effects of dietary alfalfa:orchardgrass hay and lasalocid on nutrient utilization by gravid sows, 1247
Influence of dietary alfalfa:orchardgrass hay and lasalocid on in vitro estimates of dry matter digestibility and volatile fatty acid concentrations of cecal contents and rate of digesta passage in sows, 1235
Reduction of 3-methylindole production and prevention of acute bovine pulmonary edema and emphysema with lasalocid, 232
Lesions
Supplemental biotin for swine.
I. Influence on feedlot performance, plasma biotin and toe lesions in developing gilts, 136
III. Influence of supplementation to corn- and wheat-based diets on the incidence and severity of toe lesions, hair and skin characteristics and structural soundness of sows housed in confinement during four parities, 154
Leukocytes
Mineral X disease interactions, 1500
Life Cycle
Life cycle efficiency of beef production:
V. Relationship of cow efficiency ratios for progeny slaughtered to components of input and output, 58
VI. Relationship of cow efficiency ratios for progeny slaughtered to growth, condition, fertility and milk production of the dam, 69
Lignin
Lignin composition and in vitro digestibility of feeds, 316
Linoleic Acid
Effect of insulin and linoleic acid on satellite cell differentiation, 1571
Lipids
Adipocyte development in primary rat cell cultures, effect of cell density and serum source, 1553
Adipose tissue lipolytic rate in genetically obese and lean swine, 131
Effect of dietary phosphorus levels on porcine renal 25-hydroxyvitamin D-1α- and 24R-hydroxylase activities and plasma 1,25-dihydroxyvitamin D_3 concentration, 1005
Effect of swine weaning age on body fat and lipogenic activity in liver and adipose tissue, 190

Litter Size
Effects of vitamin A and β-carotene on reproductive performance in gilts, 998
Lupine
Effects of either sweet or semi-sweet blue lupine on performance of swine, 989
Luteinizing Hormone
Increased ovulation rate of adult ewes treated with anti-bovine LH antiserum during the normal breeding season, 749
Patterns of secretion of luteinizing hormone, follicle stimulating hormone and testosterone in stallions during the summer and winter, 741
Plasma prolactin, LH, FSH and estrogen excretion patterns in gilts during sexual development, 1308
Luteinizing Hormone-Releasing Hormone
LHRH receptor, LH and FSH concentrations in anterior pituitaries of cycling, noncycling and early pregnant heifers, 532

M

Magnesium
Effects of dietary potassium and sodium on magnesium utilization in sheep, 578
Effects of monensin on Mg, Ca, P and Zn metabolism and tissue concentrations in lambs, 1485
Maintenance
Sources of variation and prospects for improvement of productive efficiency in the dairy cow: A review, 583
Manganese
Effects of high dietary manganese as manganese oxide or manganese carbonate in sheep, 861
Maternal
Characterization of breeds of Bos indicus and Bos taurus cattle for maternal and individual traits, 1165
Comparisons of specific crosses from Duroc, Hampshire and Spot backcross sows, 603
Heterosis retained in advanced generations of crosses among Angus and Hereford cattle, 1117
Restricted selection indexes: Genetic responses involving maternal effect for weaning weight and other growth traits in beef cattle, 413
Maximum Likelihood
Best linear unbiased prediction of nonadditive genetic merits in noninbred populations, 111
Meat and Bone Meal
Effects of combining protein sources on lysine utilization by starter pigs, 470
Memorials
Rex Beresford, 323
Henning Nielsen, 323
Metabolism
A technique for isolation of bovine hepatocytes, 1597
Metabolites
Hexestrol residues and metabolites in the tissues of wethers injected with hexestrol dicaprylate or hexestrol, 511
Influence of selection for milk yield on endogenous hormones and metabolites in Holstein heifers and cows, 271
Methane Digester Effluent
Rumen fermentation characteristics, nitrogen balance and growth in lambs fed methane digester effluent, 1472
Mice
Economic efficiency of lean tissue production through crossbreeding: Systems modeling with mice.
I. Definition of the bioeconomic objective, 385
II. Reproduction-growth termination alternatives, 395
Muscle growth and satellite cell proliferative activity in obese (ob/ob) mice, 644
Milk
Energy balances of lactating sows in relation to feeding level and stage of lactation, 731
Influence of selection for milk yield on endogenous hormones and metabolites in Holstein heifers and cows, 271
Raw soybeans for gestating swine, 163
Selection for weaning weight and postweaning gain in Hereford cattle.
III. Correlated responses to selection in milk yield, preweaning and postweaning traits, 1156
Supplemental biotin for swine.
II. Influence of supplementation to corn- and wheat-based diets on reproductive performance and various biochemical criteria of sows during four parities, 145
Minerals
Effects of high dietary manganese as manganese oxide or manganese carbonate in sheep, 861
Mineral X disease interactions, 1500
Sugarcane condensed molasses solubles as a feed ingredient for finishing cattle, 839
Minimum Variance Quadratic Unbiased Estimator
Best linear unbiased prediction of nonadditive genetic merits in noninbred populations, 111
Molybdenum
Interaction of molybdenum, sulfate and alfalfa in the bovine, 791
Monensin
Duration of inhibition of 3-methylindole production by monensin, 226
Effects of monensin on Mg, Ca, P and Zn metabolism and tissue concentrations in lambs, 1485
Effects of monensin on monovalent ion metabolism and tissue concentrations in lambs, 1479
Effects of monensin, pyromellitic diimide and 2-bromoethanesulfonic acid on rumen fermentation in vitro, 544
Mortality
Effect of dietary crude protein level on the reproductive performance and growth of New Zealand White rabbits, 1029
Effects of vitamin A and β-carotene on reproductive performance in gilts, 998
Multiple Traits
Interpretation of significance in testing multiple traits, 867
Multibreed sire evaluation procedures across countries, 953
Muscles
Effect of early postmortem temperature on beef tenderness, 1588

Effect of insulin and linoleic acid on satellite cell differentiation, 1571
Effects of in vitro ronnel on metabolic activity in subcutaneous adipose tissue and skeletal muscle from steers, 652
Enzyme histochemical studies in an ontogeny study of muscle development in Ossabaw and decapitated fetuses: Cellular reactions, 1562
Estrogen receptor in bovine skeletal muscle, 294
Muscle growth and satellite cell proliferative activity in obese (ob/ob) mice, 644
The role of collagen in the development of muscle and its relationship to eating quality, 1580

N

Nitrobenzene
Lignin composition and in vitro digestibility of feeds, 316
Nitrogen
An evaluation of Lactobacillus acidophilus-treated jojoba meal in beef cattle diets, 832
Effect of crude protein and ruminal ammonia-N on digestibility and ruminal outflow in beef cattle fed wheat straw, 822
Influence of protein degradability in range supplements on abomasal nitrogen flow, nitrogen balance and nutrient digestibility, 1324
Nitrogen utilization and ruminal fermentation in steers fed soybean meal treated with formaldehyde, 1072
Nutritive value of Beagle 82 triticale for swine, 503
Rumen fermentation characteristics, nitrogen balance and growth in lambs fed methane digester effluent, 1472
Threonine requirement of pigs weighing 5 to 15 kg and the effect of excess methionine in diets marginal in threonine, 480
Wheat middlings as a source of energy, amino acids, phosphorus and pellet binding quality for swine diets, 1012
Nonadditive Models
Best linear unbiased prediction of nonadditive genetic merits in noninbred populations, 111
Multibreed sire evaluation procedures within a country, 942
Nutrients
Effect of supplementing equi-valent cation amounts from NaCl, MgO, $NaHCO_3$ and $CaCO_3$ on nutrient utilization and acid-base status of growing Dorset lambs fed high concentrate diets, 307
Effects of dietary alfalfa:orchardgrass hay and lasalocid on nutrient utilization by gravid sows, 1247
Influence of protein degradability in range supplements on abomasal nitrogen flow, nitrogen balance and nutrient digestibility, 1324
Sources of variation and prospects for improvement of productive efficiency in the dairy cow: A review, 583
Units for feed evaluation and requirements for commercially grown rabbits, 1021

O

Obesity
Adipose tissue lipolytic rate in genetically obese and lean swine, 131
Muscle growth and satellite cell proliferative activity in obese (ob/ob) mice, 644
Organic Acids
Response of starter pigs to supplementation of corn-soybean meal diets with organic acids, 1288
Orthogonal Regression
Palpated and visually assigned condition scores compared with weight, height and heart girth in Hereford and crossbred cows, 363
Ovaries
Effect of unilateral ovariectomy and injection of bovine follicular fluid on gonadotropin secretion and compensatory ovarian hypertrophy in prepuberal heifers, 1055
Feedlot performance of hysterectomized and ovariectomized heifers, 358
Relationships among dietary lipid intake, serum cholesterol and ovarian function in Holstein heifers, 1045
Ovulation
Increased ovulation rate of adult ewes treated with anti-bovine LH antiserum during the normal breeding season, 749
Onset of puberty and duration of the breeding season in Suffolk, Rambouillet, Finnish Landrace, Dorset and Finn-Dorset ewe lambs, 1463
The effect of repeated mating at short intervals on reproductive performance of gilts, 1052
Oxidation
Lignin composition and in vitro digestibility of feeds, 316

P

Palatability
An evaluation of Lactobacillus acidophilus-treated jojoba meal in beef cattle diets, 832
Effects of sex condition, genotype, diet and carcass electrical stimulation on the collagen content and palatability of two bovine muscles, 1228
Parasites
Influence of an experimental infection of Ascaris suum on performance of pigs, 220
Peanuts
Feeding value of peanut skins added to bermudagrass pellets and fed to growing beef calves, 329
Performance
Comparisons of specific crosses from Duroc, Hampshire and Spot backcross sows, 603
Effect of source of dietary energy and energy restriction during lactation on sow and litter performance, 171
Effect of sunflower seeds on performance, carcass quality, fatty acids and acceptability of pork, 212
Effect of supplementing equi-valent cation amounts from NaCl, MgO, $NaHCO_3$ and $CaCO_3$ on

nutrient utilization and acid-base status of growing Dorset lambs fed high concentrate diets, 307
Effects of either sweet or semi-sweet blue lupine on performance of swine, 989
Effects of number of lambs suckled and supplemental protein source on lactating ewe performance, 6
Genetic, phenotypic and environmental relationships between sow body weight and sow productivity traits, 375
Influence of an experimental infection of Ascaris suum on performance of pigs, 220
Nutritive value of Beagle 82 triticale for swine, 503
Sire ranking based upon purebred versus crossbred progeny performance in swine, 902
Stimulation of swine growth by porcine growth hormone, 118
Supplemental biotin for swine.
I. Influence on feedlot performance, plasma biotin and toe lesions in developing gilts, 136
Value of Beagle 82 triticale as a substitute for corn and soybean meal in the diet of pigs, 1272
pH
Effect of supplementing equi-valent cation amounts from NaCl, MgO, $NaHCO_3$ and $CaCO_3$ on nutrient utilization and acid-base status of growing Dorset lambs fed high concentrate diets, 307
Relationship of rumen fluid dilution rate to rumen fermentation and dietary characteristics of beef steers, 1061
Phenotypic Variance
The manipulation of variation in quantitative traits: A review of possible genetic strategies, 101
Phenylephrine
Effect of prostaglandin $F_2\alpha$ phenylephrine and ergonovine on uterine contractions in the ewe, 537
Phosphorus
Biological characteristics for assessing low phosphorus intake in growing swine, 699
Effect of dietary phosphorus levels on porcine renal 25-hydroxyvitamin D-1α- and 24R-hydroxylase activities and plasma 1,25-dihydroxyvitamin D_3 concentration, 1005
Effect of dietary phosphorus on selenium retention in postweaning swine, 1438
Effects of monensin on Mg, Ca, P and Zn metabolism and tissue concentrations in lambs, 1485
Wheat middlings as a source of energy, amino acids, phosphorus and pellet binding quality for swine diets, 1012
Pigs
Adipose tissue lipolytic rate in genetically obese and lean swine, 131
An evaluation of threonine and isoleucine as the third and fourth limiting amino acids in corn for growing swine, 487
Behavior and performance of weanling pigs in pens equipped with hide areas, 20
Biological characteristics for assessing low phosphorus intake in growing swine, 699
Cellular and enzyme-histochemical aspects of adipose tissue development in obese (Ossabaw) and lean (crossbred) pig fetuses: An ontogeny study, 1539
Commercially processed glandless cottonseed meal for starter, grower and finisher swine, 495
Comparisons of specific crosses from Duroc, Hampshire and Spot backcross sows, 603
Deoxynivalenol-contaminated wheat in swine diets, 239
Determination of potassium availability in K_2CO_3, $KHCO_3$, corn and soybean meal for the young pig, 715
Development of an assay to determine the bioavailability of potassium in feedstuffs for the young pig, 709
Dietary sodium and chloride levels for growing-finishing pigs, 691
Economic efficiency of lean tissue production through crossbreeding: Systems modeling with mice.
I. Definition of the bioeconomic objective, 385
Effect of 1,3-butanediol and short chain acids in sow gestation diets on maternal plasma metabolites and fetal energy storage, 1280
Effect of dietary calcium on selenium retention in postweaning swine, 1429
Effect of dietary gestation and lactation protein levels on reproductive performance and body composition of first-litter female swine, 179
Effect of dietary phosphorus levels on porcine renal 25-hydroxyvitamin D-1α- and 24R-hydroxylase activities and plasma 1,25-dihydroxyvitamin D_3 concentration, 1005
Effect of dietary phosphorus on selenium retention in postweaning swine, 1438
Effect of exogenous glucagon and free fatty acids on gluconeogenesis in fasting neonatal pigs, 659
Effect of male accessory gland secretions on sensitivity of porcine sperm acrosomes to cold shock, initiation of motility and loss of cytoplasmic droplets, 1295
Effect of sunflower seeds on performance, carcass quality, fatty acids and acceptability of pork, 212
Effect of swine weaning age on body fat and lipogenic activity in liver and adipose tissue, 190
Effects of combining protein sources on lysine utilization by starter pigs, 470
Effects of either sweet or semi-sweet blue lupine on performance of swine, 989
Effects of riboflavin supplementation and selenium source on selenium metabolism in the young pig, 451
Efficacy of supplemental tryptophan, threonine, isoleucine and methionine for weanling pigs fed a low-protein, lysine-supplemented, corn-sunflower meal diet, 720
Efficacy of tiamulin as a growth promotant for growing swine, 14
Endocrine adaptations of periparturient swine to alteration of dietary energy source, 1260
Enzyme histochemical studies in an ontogeny study of muscle development in Ossabaw and decapitated fetuses: Cellular reactions, 1562
Genetic predisposition of pigs to hypo- and hyperselenemia, 200

Influence of an experimental infection of Ascaris suum on performance of pigs, 220
Involvement of water-soluble vitamins in diseases of swine, 1508
Lysine availability in flash-dried blood meals for swine, 1447
Nutritive value of Beagle 82 triticale for swine, 503
Nutritive value of D-tryptophan for the growing pig, 474
Occurrence and characteristics of sclerotic lesions in uterine arteries of sterile and multiparous pigs, 1619
Raw soybeans for gestating swine, 163
Raw soybeans for growing-finishing pigs, 725
Response of starter pigs to supplementation of corn-soybean meal diets with organic acids, 1288
Scheduled breeding of gilts after estrous synchronization with altrenogest, 599
Sire ranking based upon purebred versus crossbred progeny performance in swine, 902
Stimulation of swine growth by porcine growth hormone, 118
The nutritional value of normal and high lysine corns for weanling and growing-finishing swine when fed at four lysine levels, 1412
Threonine requirement of pigs weighing 5 to 15 kg and the effect of excess methionine in diets marginal in threonine, 480
Value of Beagle 82 triticale as a substitute for corn and soybean meal in the diet of pigs, 1272
Wheat middlings as a source of energy, amino acids, phosphorus and pellet binding quality for swine diets, 1012

Pituitary
Pituitary concentrations of gonadotropins and receptors for GnRH in suckled beef cows at various intervals after calving, 285

Polyester Bags
Evaluation of specific variables affecting in situ estimates of ruminal dry matter and protein digestion, 1347

Potassium
Determination of potassium availability in K_2CO_3, $KHCO_3$, corn and soybean meal for the young pig, 715
Development of an assay to determine the bioavailability of potassium in feedstuffs for the young pig, 709
Effects of dietary potassium and sodium on magnesium utilization in sheep, 578
Effects of monensin on monovalent ion metabolism and tissue concentrations in lambs, 1479

Potatoes
The lactic acid and volatile fatty acid content and in vitro organic matter digestibility of silages made from potato processing residues and barley straw, 1087

Prediction Equations
Discriminant analysis for predicting dystocia in beef cattle.
I. Comparison with regression analysis, 608
II. Derivation and validation of a prebreeding prediction model, 617
Distribution of ether extract, moisture, protein and ash in dissected tissues from ovine carcasses, 977
Prediction equations of beef cow efficiency, 964

Pregnancy
Effect of age of equine embryos and method of transfer on pregnancy rate, 258
Effect on the ewe and lamb of low zinc intake throughout pregnancy, 1530
LHRH receptor, LH and FSH concentrations in anterior pituitaries of cycling, noncycling and early pregnant heifers, 532
Raw soybeans for gestating swine, 163
Reproductive performance and profitability of heifers fed to weigh 272 or 318 kg at the start of the first breeding season, 25

Productivity
Lamb production and its components in pure breeds and composite lines.
III. Genetic parameters, 40

Progesterone
Increased ovulation rate of adult ewes treated with anti-bovine LH antiserum during the normal breeding season, 749
Scheduled breeding of gilts after estrous synchronization with altrenogest, 599

Prolactin
Endocrine adaptations of periparturient swine to alteration of dietary energy source, 1260
Influence of selection for milk yield on endogenous hormones and metabolites in Holstein heifers and cows, 271
Plasma prolactin, LH, FSH and estrogen excretion patterns in gilts during sexual development, 1308

Propylthiouracil
Changes in plasma concentrations of thyroxine and triiodothyronine in beef steers fed different levels of propylthiouracil, 1454

Prostaglandins
Effect of prostaglandin $F_2\alpha$, phenylephrine and ergonovine on uterine contractions in the ewe, 537
Inhibition of bovine luteal function by indomethacin, 528

Protein
Adipocyte development in primary rat cell cultures, effect of cell density and serum source, 1553
Effect of crude protein and ruminal ammonia-N on digestibility and ruminal outflow in beef cattle fed wheat straw, 822
Effect of dietary crude protein level on the reproductive performance and growth of New Zealand White rabbits, 1029
Effect of dietary gestation and lactation protein levels on reproductive performance and body composition of first-litter female swine, 179
Effects of combining protein sources on lysine utilization by starter pigs, 470
Effects of number of lambs suckled and supplemental protein source on lactating ewe performance, 6
Efficiency of feed energy utilization for protein and fat gain in Hereford and Charolais steers, 766
Evaluation of specific variables affecting in situ

estimates of ruminal dry matter and protein digestion, 1347
Influence of protein degradability in range supplements on abomasal nitrogen flow, nitrogen balance and nutrient digestibility, 1324
Interaction of molybdenum, sulfate and alfalfa in the bovine, 791
Relationship of rumen fluid dilution rate to rumen fermentation and dietary characteristics of beef steers, 1061
The effects of commercial processing method of cottonseed meal on site and extent of digestion in cattle, 803
The nutritional value of normal and high lysine corns for weanling and growing-finishing swine when fed at four lysine levels, 1412
Units for feed evaluation and requirements for commercially grown rabbits, 1021
Puberty
Effect of unilateral ovariectomy and injection of bovine follicular fluid on gonadotropin secretion and compensatory ovarian hypertrophy in prepuberal heifers, 1055
Onset of puberty and duration of the breeding season in Suffolk, Rambouillet, Finnish Landrace, Dorset and Finn-Dorset ewe lambs, 1463
Regression of induced corpora lutea by human chorionic gonadotropin in prepuberal gilts, 1040
Reproductive performance and profitability of heifers fed to weigh 272 or 318 kg at the start of the first breeding season, 25
Pulmonary Emphysema
Duration of inhibition of 3-methylindole production by monensin, 226
Reduction of 3-methylindole production and prevention of acute bovine pulmonary edema and emphysema with lasalocid, 232
Pyromellitic Diimide
Effects of monensin, pyromellitic diimide and 2-bromoethanesulfonic acid on rumen fermentation in vitro, 544

R

Rabbits
Effect of dietary crude protein level on the reproductive performance and growth of New Zealand White rabbits, 1029
Units for feed evaluation and requirements for commercially grown rabbits, 1021
Rate of Passage
Influence of cottonseed meal supplementation on voluntary intake, rumen fermentation and rate of passage of prairie hay in beef steers, 570
Influence of dietary alfalfa:orchardgrass hay and lasalocid on in vitro estimates of dry matter digestibility and volatile fatty acid concentrations of cecal contents and rate of digesta passage in sows, 1235
Rats
Adipocyte development in primary rat cell cultures, effect of cell density and serum source, 1553
Regression
Discriminant analysis for predicting dystocia in beef cattle.
I. Comparison with regression analysis, 608
Repeatabilities
Genetic, phenotypic and environmental relationships between sow body weight and sow productivity traits, 375
Lamb production and its components in pure breeds and composite lines.
III. Genetic parameters, 40
Reproduction
Comparative performance of straightbred and crossbred (F_1) sires, 632
Economic efficiency of lean tissue production through crossbreeding: Systems modeling with mice.
II. Reproduction-growth termination alternatives, 395
Effect of dietary crude protein level on the reproductive performance and growth of New Zealand White rabbits, 1029
Effect of dietary gestation and lactation protein levels on reproductive performance and body composition of first-litter female swine, 179
Energy intake, body composition and reproductive performance of the gilt, 1518
Estimates of genetic correlations between testicular measurements and female reproductive traits in cattle, 89
Occurrence and characteristics of sclerotic lesions in uterine arteries of sterile and multiparous pigs, 1619
Reproductive criteria of beef bulls during and after exposure to increased ambient temperature, 352
Reproductive performance of Finnish Landrace and Suffolk sheep maintained indoors yearround, 334
Reproductive traits of sows penned individually or in groups until 35 days after breeding, 755
Supplemental biotin for swine.
II. Influence of supplementation to corn- and wheat-based diets on reproductive performance and various biochemical criteria of sows during four parities, 145
The effect of repeated mating at short intervals on reproductive performance of gilts, 1052
Residues
Deoxynivalenol-contaminated wheat in swine diets, 239
Hexestrol residues and metabolites in the tissues of wethers injected with hexestrol dicaprylate or hexestrol, 511
Riboflavin
Effects of riboflavin supplementation and selenium source on selenium metabolism in the young pig, 451
Ronnel
Effects of in vitro ronnel on metabolic activity in subcutaneous adipose tissue and skeletal muscle from steers, 652
Roxarsone
Reduction of liver copper concentration by the organic arsenical, 3-nitro-4 hydroxyphenylarsonic acid, 440

S

Salinomycin
Effect of salinomycin level on nutrient digestibility and ruminal characteristics of sheep and feedlot performance of cattle, 1338
Satellite Cells
Effect of insulin and linoleic acid on satellite cell differentiation, 1571
Muscle growth and satellite cell proliferative activity in obese (ob/ob) mice, 644
Selection
Influence of selection for milk yield on endogenous hormones and metabolites in Holstein heifers and cows, 271
Lamb production and its components in pure breeds and composite lines.
III. Genetic parameters, 40
Restricted selection indexes: Genetic responses involving maternal effect for weaning weight and other growth traits in beef cattle, 413
Selection for increased weaning or yearling weight in Hereford cattle.
I. Measurement of selection applied, 1373
II. Direct and correlated responses, 1385
Selection for weaning weight and postweaning gain in Hereford cattle.
I. Population structure and selection applied, 1133
II. Response to selection, 1142
III. Correlated responses to selection in milk yield, preweaning and postweaning traits, 1156
The manipulation of variation in quantitative traits: A review of possible genetic strategies, 101
Selenium
Effect of dietary calcium on selenium retention in postweaning swine, 1429
Effect of dietary phosphorus on selenium retention in postweaning swine, 1438
Effects of riboflavin supplementation and selenium source on selenium metabolism in the young pig, 451
Genetic predisposition of pigs to hypo- and hyperselenemia, 200
Semen
Reproductive criteria of beef bulls during and after exposure to increased ambient temperature, 352
Temporal patterns of growth hormone in blood and seminal plasma of mature dairy bulls, 35
The concentration of estradiol-17β in bovine semen, 760
Sex Ratio
Flow cytometric determination of the proportions of x- and y-chromosome-bearing sperm in samples of purportedly separated bull sperm, 1303
Sexual Development
Plasma prolactin, LH, FSH and estrogen excretion patterns in gilts during sexual development, 1308
Sexual development in beef bulls following zeranol implants, 342
Shear Force
Effects of fat level on sensory, cooking and instron properties of restructured beef steaks, 434
Sheep
Breed group differences in testicular growth patterns in spring-born ram lambs, 622
Distribution of ether extract, moisture, protein and ash in dissected tissues from ovine carcasses, 977
Effect of prostaglandin $F_2\alpha$, phenylephrine and ergonovine on uterine contractions in the ewe, 537
Effect of salinomycin level on nutrient digestibility and ruminal characteristics of sheep and feedlot performance of cattle, 1338
Effect of supplementing equi-valent cation amounts from NaCl, MgO, $NaHCO_3$ and $CaCO_3$ on nutrient utilization and acid-base status of growing Dorset lambs fed high concentrate diets, 307
Effect on the ewe and lamb of low zinc intake throughout pregnancy, 1530
Effects of dietary potassium and sodium on magnesium utilization in sheep, 578
Effects of double decking and space allowance on the performance and behavior of feeder lambs, 1110
Effects of monensin on Mg, Ca, P and Zn metabolism and tissue concentrations in lambs, 1485
Evaluation of wet and dry distillers grains and wet and dry corn gluten feeds for ruminants, 847
Fully automated system for aerobic or anaerobic sampling of duodenal digesta in sheep or cattle equipped with duodenal reentrant cannulas, 1359
Hexestrol residues and metabolites in the tissues of wethers injected with hexestrol dicaprylate or hexestrol, 511
Intake and digestibility of wheat straw diets by goats and sheep, 1318
Onset of puberty and duration of the breeding season in Suffolk, Rambouillet, Finnish Landrace, Dorset and Finn-Dorset ewe lambs, 1463
Rumen fermentation characteristics, nitrogen balance and growth in lambs fed methane digester effluent, 1472
Significance Levels
Interpretation of significance in testing multiple traits, 867
Simulation
An economic evaluation of simulated biological production of beef cattle, 913
Sire Evaluation
Multibreed sire evaluation procedures across countries, 953
Multibreed sire evaluation procedures within a country, 942
Sire X environment interactions in beef cattle weaning weight field data, 1396
Sires
Comparative performance of straightbred and crossbred (F_1) sires, 632
Comparison of Charolais and Limousin as terminal cross sire breeds, 935
Sire ranking based upon purebred versus crossbred progeny performance in swine, 902

Slope-Ratio Technique
Determination of potassium availability in K_2CO_3, $KHCO_3$, corn and soybean meal for the young pig, 715
Sodium
Dietary sodium and chloride levels for growing-finishing pigs, 691
Effects of dietary potassium and sodium on magnesium utilization in sheep, 578
Effects of monensin on monovalent ion metabolism and tissue concentrations in lambs, 1479
Sodium Bicarbonate
The influence of sodium bicarbonate and dehydrated alfalfa as buffers on steer performance and ruminal characteristics, 551
Sorghum
Evaluation of moisture uptake, aerobic and anaerobic phases of reconstitution upon sorghum grain digestibility and performance of steers, 877
Sows
Effect of source of dietary energy and restriction during lactation on sow and litter performance, 171
Effects of dietary alfalfa:orchardgrass hay and lasalocid on nutrient utilization by gravid sows, 1247
Energy balances of lactating sows in relation to feeding level and stage of lactation, 731
Genetic, phenotypic and environmental relationships between sow body weight and sow productivity traits, 375
Influence of dietary alfalfa:orchardgrass hay and lasalocid on in vitro estimates of dry matter digestibility and volatile fatty acid concentrations of cecal contents and rate of digesta passage in sows, 1235
Reproductive traits of sows penned individually or in groups until 35 days after breeding, 755
Supplemental biotin for swine.
II. Influence of supplementation to corn- and wheat-based diets on reproductive performance and various biochemical criteria of sows during four parities, 145
III. Influence of supplementation to corn- and wheat-based diets on the incidence and severity of toe lesions, hair and skin characteristics and structural soundness of sows housed in confinement during four parities, 154
Soybean Meal
Effects of combining protein sources on lysine utilization by starter pigs, 470
Soybeans
Evaluation of specific variables affecting in situ estimates of ruminal dry matter and protein digestion, 1347
Nitrogen utilization and ruminal fermentation in steers fed soybean meal treated with formaldehyde, 1072
Raw soybeans for gestating swine, 163
Raw soybeans for growing-finishing pigs, 725
Response of starter pigs to supplementation of corn-soybean meal diets with organic acids, 1288
Species Variation
Species susceptibility to the pulmonary toxicity of 3-furyl isoamyl ketone (perilla ketone): In vivo support for involvement of the lung monooxygenase system, 248
Specific Gravity
Techniques for predicting beef carcass composition, 1201
Sperm
Effect of male accessory gland secretions on sensitivity of porcine sperm acrosomes to cold shock, initiation of motility and loss of cytoplasmic droplets, 1295
Flow cytometric determination of the proportions of x- and y-chromosome-bearing sperm in samples of purportedly separated bull sperm, 1303
Microencapsulation of bovine spermatozoa, 1631
Reproductive criteria of beef bulls during and after exposure to increased ambient temperature, 352
Starch
Site and extent of starch and neutral detergent fiber digestion as affected by source of calcium and level of corn, 1330
Steers
Carcass characteristics and sensory properties of Hereford X Shorthorn bulls and steers fed different levels of grass silage and high moisture barley, 1403
Changes in plasma concentrations of thyroxine and triiodothyronine in beef steers fed different levels of propylthiouracil, 1454
Efficiency of feed energy utilization for protein and fat gain in Hereford and Charolais steers, 766
Effects of in vitro ronnel on metabolic activity in subcutaneous adipose tissue and skeletal muscle from steers, 652
Effects of sex condition, genotype, diet and carcass electrical stimulation on the collagen content and palatability of two bovine muscles, 1228
Evaluation of wet and dry distillers grains and wet and dry corn gluten feeds for ruminants, 847
Net portal absorption of lactate and volatile fatty acids in steers experiencing glucose-induced acidosis or fed a 70% concentrate diet ad libitum, 560
Nitrogen utilization and ruminal fermentation in steers fed soybean meal treated with formaldehyde, 1072
Reproductive criteria of beef bulls during and after exposure to increased ambient temperature, 352
Sexual development in beef bulls following zeranol implants, 342
Sugarcane condensed molasses solubles as a feed ingredient for finishing cattle, 859
Stress
Comparison of four methods of calf confinement.
I. Physiology, 1095
Structural Soundness
Supplemental biotin for swine.
III. Influence of supplementation to corn- and

wheat-based diets on the incidence and severity of toe lesions, hair and skin characteristics and structural soundness of sows housed in confinement during four parities, 154

Sulfate
Interaction of molybdenum, sulfate and alfalfa in the bovine, 791

Sunflowers
Effect of sunflower seeds on performance, carcass quality, fatty acids and acceptability of pork, 212
Efficacy of supplemental tryptophan, threonine, isoleucine and methionine for weanling pigs fed a low-protein, lysine-supplemented, corn-sunflower meal diet, 720

T

Testes
Breed group differences in testicular growth patterns in spring-born ram lambs, 622
Estimates of genetic correlations between testicular measurements and female reproductive traits in cattle, 89

Testosterone
Patterns of secretion of luteinizing hormone, follicle stimulating hormone and testosterone in stallions during the summer and winter, 741
Sexual development in beef bulls following zeranol implants, 342

Tethers
Cortisol response of gilts in tether stalls, 264

Texture
Effects of fat level on sensory, cooking and instron properties of restructured beef steaks, 434

Thyroxine
Changes in plasma concentrations of thyroxine and triiodothyronine in beef steers fed different levels of propylthiouracil, 1454
Comparison of four methods of calf confinement. I. Physiology, 1095

Tiamulin
Efficacy of tiamulin as a growth promotant for growing swine, 14

Toxicity
Effects of high dietary manganese as manganese oxide or manganese carbonate in sheep, 861
Interaction of molybdenum, sulfate and alfalfa in the bovine, 791
Species susceptibility to the pulmonary toxicity of 3-furyl isoamyl ketone (perilla ketone): In vivo support for involvement of the lung monnooxygenase system, 248
Toxicity potential of absorbed-retained ethylene oxide residues in culture dishes on embryo development in vitro, 1610

Triiodothyronine
Changes in plasma concentrations of thyroxine and triiodothyronine in beef steers fed different levels of propylthiouracil, 1454

Triplets
Effects of number of lambs suckled and supplemental protein source on lactating ewe performance, 6

Triticale
Nutritive value of Beagle 82 triticale for swine, 503
Value of Beagle 82 triticale as a substitute for corn and soybean meal in the diet of pigs, 1272

Twins
Effects of number of lambs suckled and supplemental protein source on lactating ewe performance, 6

U

Urea
An evaluation of threonine and isoleucine as the third and fourth limiting amino acids in corn for growing swine, 487
Threonine requirement of pigs weighing 5 to 15 kg and the effect of excess methionine in diets marginal in threonine, 480

Uterus
Effect of prostaglandin $F_2\alpha$, phenylephrine and ergonovine on uterine contractions in the ewe, 537
Occurrence and characteristics of sclerotic lesions in uterine arteries of sterile and multiparous pigs, 1619

V

Vitamins
Effects of vitamin A and β-carotene on reproductive performance in gilts, 998
Genetic predisposition of pigs to hypo- and hyperselenemia, 200
Involvement of water-soluble vitamins in diseases of swine, 1508

W

Weaning
Effect of swine weaning age on body fat and lipogenic activity in liver and adipose tissue, 190
Reproductive performance and profitability of heifers fed to weigh 272 or 318 kg at the start of the first breeding season, 25
Selection for weaning weight and postweaning gain in Hereford cattle. I. Population structure and selection applied, 1133
II. Response to selection, 1142
Sire × environment interactions in beef cattle weaning weight field data, 1396
The effect of artificial rearing on the growth of foals, 1
Threonine requirement of pigs weighing 5 to 15 kg and the effect of excess methionine in diets marginal in threonine, 480

Weight
Characterization of breeds of Bos indicus and Bos taurus cattle for maternal and individual traits, 1165
Genetic, phenotypic and environmental relation-

ships between sow body weight and sow productivity traits, 375
Growth and composition of the empty body in steers of different maturity types fed concentrate or forage diets, 427
Palpated and visually assigned condition scores compared with weight, height and heart girth in Hereford and crossbred cows, 363
Reproductive performance and profitability of heifers fed to weigh 272 or 318 kg at the start of the first breeding season, 25
Selection for weaning weight and postweaning gain in Hereford cattle.
I. Population structure and selection applied, 1133
Sire X environment interactions in beef cattle weaning weight field data, 1396
Wheat
Deoxynivalenol-contaminated wheat in swine diets, 239
Effect of ammoniation of wheat straw on performance and digestion kinetics in cattle, 814
Effect of crude protein and ruminal ammonia-N on digestibility and ruminal outflow in beef cattle fed wheat straw, 822
Intake and digestibility of wheat straw diets by goats and sheep, 1318
Wheat middlings as a source of energy, amino acids, phosphorus and pellet binding quality for swine diets, 1012
Wool
Effects of double decking and space allowance on the performance and behavior of feeder lambs, 1110

X

X-Irradiation
Effect of ovarian follicles on luteal regression in heifers, 519

Y

Yield Grades
Effects of sex-related differences in external fat deposition on subjective carcass fatness evaluations—Steer versus heifer, 666
Techniques for predicting beef carcass composition, 1201

Z

Zeranol
Sexual development in beef bulls following zeranol implants, 342
Zinc
Effect on the ewe and lamb of low zinc intake throughout pregnancy, 1530
Effects of monensin on Mg, Ca, P and Zn metabolism and tissue concentrations in lambs, 1485